

SUPREME SWR PIPE & FITTINGS

HSN CODE PIPE 3917	TYPE "A"				TYPE "B"																																											
SWR PIPE IS:13592-1992	75 mm	90 mm	110 mm	160 mm	75 mm	90 mm	110 mm	160 mm																																								
10' 3mtr Single Socket	396	568	694	1690	678	839	1003	1999																																								
10' 3mtr Double Socket	439	586	797	1705	752	912	1124	2023																																								
6' 1.8mtr Single Socket	261	356	458	1044	479	557	687	1351																																								
6' 1.8mtr Double Socket	284	368	491	1088	487	564	727	1372																																								
4' 1.2mtr Double Socket	196	286	340	750	343	387	491	954																																								
3' 0.9mtr Double Socket	160	197	268	571	261	302	374	750																																								
2' 0.6mtr Double Socket	117	163	199	381	185	204	261	513																																								
HSN CODE FITTING 3917					GST RATE 18% FOR PIPE & FITTINGS																																											
SWR FITTINGS IS:14735-1992	50	63	75	90	110	160	200																																									
Coupler	38		57	80	97	224		Pipes conform to IS 13592-1992 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Nominal inside diameter (D) mm</th> <th rowspan="2">Tolerance on outside diameter mm</th> <th colspan="4">Wall Thickness (t) mm</th> </tr> <tr> <th colspan="2">Type-I</th> <th colspan="2">Type-II</th> </tr> <tr> <th></th> <th></th> <th>Min.</th> <th>Max.</th> <th>Min.</th> <th>Max.</th> </tr> </thead> <tbody> <tr> <td>75</td> <td>+0.3</td> <td>1.8</td> <td>2.2</td> <td>1.2</td> <td>1.8</td> </tr> <tr> <td>90</td> <td>+0.4</td> <td>1.9</td> <td>2.3</td> <td>1.2</td> <td>1.8</td> </tr> <tr> <td>110</td> <td>+0.4</td> <td>2.2</td> <td>2.7</td> <td>1.2</td> <td>1.8</td> </tr> <tr> <td>160</td> <td>+0.5</td> <td>3.2</td> <td>3.8</td> <td>1.8</td> <td>2.8</td> </tr> </tbody> </table>	Nominal inside diameter (D) mm	Tolerance on outside diameter mm	Wall Thickness (t) mm				Type-I		Type-II				Min.	Max.	Min.	Max.	75	+0.3	1.8	2.2	1.2	1.8	90	+0.4	1.9	2.3	1.2	1.8	110	+0.4	2.2	2.7	1.2	1.8	160	+0.5	3.2	3.8	1.8	2.8
Nominal inside diameter (D) mm	Tolerance on outside diameter mm	Wall Thickness (t) mm																																														
		Type-I		Type-II																																												
		Min.	Max.	Min.	Max.																																											
75	+0.3	1.8	2.2	1.2	1.8																																											
90	+0.4	1.9	2.3	1.2	1.8																																											
110	+0.4	2.2	2.7	1.2	1.8																																											
160	+0.5	3.2	3.8	1.8	2.8																																											
Bend 87.5 °	41		65	106	128	345																																										
Door Bend T.S.	56		82	126	157	384																																										
Bend 45 °	36		53	91	103	282																																										
Plain Tee	55		90	152	170	454																																										
Door Tee	70		104	176	196	465																																										
Plain Y	71		112	168	193	633																																										
Reverse Y			144																																													
Door Y (L H) or (R H)			155		289	733																																										
Double Y			155	252	323																																											
Double Door Y			218	290	381																																											
Cross Tee			148	181	246	651																																										
Door Cross Tee			226		305																																											
Pipe Clip	12	13	17	17	23	46	100																																									
Vent Cowl	12	15	20	29	30	63	194																																									
Vent Cowl with wired Mesh	26	37	43	61	78	155																																										
Socket Plug	11		35		54																																											
Nahani Trap w/o Jali		92	107	Nahani Trap LW 75mm			88																																									
Floor Drain (B) With Jali (PP)	66		81				-																																									
Multi Floor Trap 110 mm					148		-																																									
Sunken Multi Trap 150 mm						308	-																																									
Top tile (Multi floor Trap Jali)						44	-																																									
Gully Trap 110 mm					535		-																																									
Door Cap		28	37	42	53		-																																									
Cleaning Pipe			91	153	187	375	-																																									
P Trap			153		324		-																																									
W.C Connector with Lip Ring					138		-																																									
Clean Out	7	14	27	35	55	64	143.00																																									
	75X50	90X75	110X75	110X90	160X110	110X50	160X75																																									
Reducer Socket	-	61	84	80.00	173		-																																									
Reducing Y ee	-		166	-			367																																									
Reducing Tee	-	120	145	155.00	393		-																																									
Reducing Door Tee	-	141	213	-	382.00		-																																									
Reducing Door Cross Tee	-	-	251	-	-	-	-																																									
Reducing Double Y	-	-	227	-	422.00		-																																									
Reducing Double Door Y	-	-	257	-	469.00		-																																									
Ecc.Reducer Bush	26	-	54		-	-	-																																									
Branch Saddle	22	-	78			65.00	-																																									
Height Riser 150 mm(6") HT + 2 Sockt Plug						229.00																																										

SUPREME AQUAGOLD UPVC PIPES & FITTINGS

Item / Size (mm)	15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm	150 mm	200 mm
Item / Size (Inch)	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
Sch - 40 - 3 meter length	177.00	228.00	350.00	462.00	553.00	740.00	1,252.00	1,570.00	2,236.00	3,869.00	6,075.00
Sch - 80 - 3 meter length	217.00	295.00	432.00	600.00	735.00	1,001.00	1,601.00	2,052.00	3,105.00	5,759.00	8,650.00
Coupler	8.00	12.00	19.00	25.00	34.00	49.00	91.00	140.00	209.00	660.00	1,345.00
Elbow 90°	11.00	15.00	24.00	37.00	53.00	96.00	142.00	229.00	414.00	1,089.00	3,713.00
Elbow 45°	9.00	13.00	21.00	31.00	40.00	60.00	137.00	211.00	348.00	-	-
Equal Tee	13.00	21.00	31.00	48.00	84.00	106.00	208.00	301.00	554.00	1,609.00	4,760.00
Cross Tee	16.00	25.00	39.00	70.00	-	-	-	-	-	-	-
Union	23.00	31.00	51.00	68.00	119.00	135.00	1,070.00	1,338.00	2,087.00	-	-
End Cap	5.00	8.00	14.00	16.00	22.00	37.00	67.00	96.00	168.00	523.00	-
End Cap Threaded	5.00	9.00	14.00	17.00	230.00	38.00	-	-	-	-	-
Ball Valve (Sol. Weld)	277.00	341.00	482.00	998.00	1,333.00	2,222.00	-	-	-	-	-
Ball Valve (Plastic Ball)	132.00	185.00	238.00	495.00	594.00	858.00	4,043.00	6,316.00	10,494.00	-	-
Fem Thrd Adapter (Pvc)	7.00	10.00	17.00	22.00	28.00	43.00	94.00	146.00	244.00	-	-
Male Thrd Adapter (Pvc)	5.00	8.00	14.00	24.00	29.00	53.00	86.00	163.00	229.00	-	-
Female Thrd Elbow (Pvc)	11.00	16.00	27.00	43.00	62.00	86.00	-	-	449.00	-	-
Female Thrd Tee (Pvc)	15.00	23.00	38.00	58.00	76.00	120.00	-	-	601.00	-	-
Threaded Plug	3.00	8.00	14.00	17.00	-	-	-	-	-	-	-
Circuit Testing Plug	8.00	14.00	-	-	-	-	-	-	-	-	-
Flange Adapter	-	-	55.00	89.00	94.00	157.00	237.00	266.00	471.00	785.00	-
Tank Connector (MT/FT)	24.00	44.00	52.00	92.00	96.00	-	-	-	-	-	-
Tank Connector Long	33.00	46.00	69.00	123.00	134.00	172.00	627.00	972.00	1,393.00	-	-
Pipe Clip (Plastic)	2.00	2.00	3.00	4.00	11.00	15.00	-	-	-	-	-
Hex Nipple	6.00	8.00	13.00	15.00	22.00	28.00	-	-	-	-	-
Long Bend 90 degree	22.00	34.00	57.00	92.00	121.00	194.00	385.00	573.00	1,016.00	3,402.00	8,994.00
Item Brass / Size (Inch)	1/2"x1/2"	3/4"x3/4"	1"x1"	3/4"x1/2"	1"x1/2"	1 1/4"x1 1/4"	1"x3/4"	1 1/4"x3/4"	1 1/2"x3/4"	1 1/2"x1 1/2"	2"
Female Elbow (BRASS)	76.00	114.00	231.00	85.00	102.00	416.00	153.00	-	-	-	-
M.T.A (BRASS)	101.00	138.00	217.00	96.00	117.00	393.00	151.00	-	-	479.00	668.00
F.T.A (BRASS)	69.00	99.00	185.00	70.00	84.00	268.00	111.00	-	-	305.00	512.00
Female Tee (BRASS)	92.00	138.00	330.00	100.00	138.00	-	163.00	195.00	244.00	-	-
Item / Size (Inch)	3/4"x1/2"	1"x1/2"	1"x3/4"	1 1/4"x1/2"	1 1/4"x3/4"	1 1/4"x1"	1 1/2"x1/2"	1 1/2"x3/4"	1 1/2"x1"	1 1/2"x1 1/4"	2"x1/2"
Reducer Socket	11.00	18.00	18.00	-	35.00	26.00	-	-	39.00	35.00	-
Reducer FABRICATED	-	-	-	35.00	-	-	52.00	52.00	-	-	84.00
Reducing Tee	24.00	30.00	34.00	43.00	50.00	51.00	52.00	54.00	60.00	72.00	96.00
Reducing Bush	4.00	10.00	7.00	17.00	18.00	11.00	21.00	22.00	21.00	11.00	32.00
Reducing Elbow	24.00	24.00	30.00	35.00	-	49.00	-	-	59.00	-	-
Item / Size (Inch)	2"x3/4"	2"x1"	2"x1 1/4"	2"x1 1/2"	2 1/2"x1"	2 1/2"x1 1/4"	2 1/2"x1 1/2"	2 1/2"x2"	3"x1/2"	3"x3/4"	3"x1"
Reducer Socket	84.00	84.00	62.00	61.00	-	111.00	-	124.00	-	-	-
Reducing Tee	100.00	99.00	99.00	105.00	216.00	203.00	283.00	261.00	-	336.00	326.00
Reducing Bush	35.00	37.00	35.00	25.00	72.00	68.00	68.00	37.00	-	-	-
Item / Size (Inch)	3x1 1/2"	3x2"	3x2 1/2"	4"x1"	4"x1 1/4"	4"x1 1/2"	4"x2"	4"x2 1/2"	4"x3"	6"x3"	6"x4"
Reducer Socket	-	154.00	177.00	-	-	-	285.00	-	323.00	-	-
Reducing Tee	347.00	444.00	379.00	405.00	516.00	508.00	482.00	799.00	487.00	1,432.00	1,617.00
Reducing Bush	113.00	79.00	100.00	-	-	-	148.00	162.00	150.00	-	-

SUPREME C-PVC PIPE & FITTING

SIZE (MM)	15 mm	20 mm	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm	150 mm	200 mm
SIZE (INCH)	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2-1/2"	3"	4"	6"	8"
SDR 11 PIPES	186.00	274.00	435.00	655.00	886.00	1,484.00					
SDR 13.5 PIPES	166.00	266.00	368.00	531.00	741.00	1,217.00	-	-			
SCH-40 PIPES		-					2,694.00	3,502.00	4,982.00	10,682.00	16,114.00
SCH-80 PIPES							3,672.00	4,956.00	7,351.00	17,098.00	26,845.00
HSN CODE FITTING: 3917	FITTING ARE AS PER SDR 11						FITTINGS ARE AS PER SCHEDULE 80				
Coupler	8.00	11.00	18.00	35.00	64.00	135.00	513.00	729.00	1,131.00	2,897.00	6,880.00
Elbow 90°	10.00	14.00	27.00	57.00	107.00	224.00	825.00	1,285.00	2,138.00	5,542.00	11,436.00
Equal Tee	14.00	22.00	35.00	73.00	132.00	282.00	1,127.00	1,659.00	2,753.00	7,004.00	13,818.00
Union	52.00	74.00	109.00	129.00	216.00	378.00	1,525.00	2,073.00	3,154.00	-	-
End Cap	6.00	10.00	15.00	31.00	46.00	98.00	206.00	495.00	859.00	-	-
Cross Tee	21.00	44.00	82.00	139.00	-	-	-	-	-	-	-
F.T. A. (Plastic)	13.00	22.00	31.00	79.00	105.00	165.00	414.00	627.00	1,047.00	-	-
M.T.A. (Plastic)	9.00	16.00	24.00	39.00	59.00	116.00	458.00	801.00	1,239.00	-	-
Elbow 45°	12.00	19.00	34.00	70.00	110.00	227.00	746.00	1,059.00	1,910.00	-	-
Bend (F) 90°	18.00	32.00	48.00	80.00	125.00	260.00	-	-	-	-	-
Bypass Bend (Cross over)	32.00	69.00	109.00	155.00	242.00	438.00	-	-	-	-	-
Pipe Clip	3.00	4.00	5.00	7.00	10.00	12.00	-	-	-	-	-
Pipe Clip (Concealed)	-	8.00	10.00	-	-	-	-	-	-	-	-
Ball Valve (Plastic)	100.00	141.00	228.00	431.00	617.00	1,185.00	6,861.00	9,160.00	-	-	-
Tank Connector	44.00	48.00	79.00	104.00	161.00	288.00	-	-	-	-	-
RCC Tank Connector	-	-	-	-	-	372.00	775.00	1,178.00	-	-	-
Flange Adapter (Plastic)	-	-	-	-	-	-	1,037.00	1,272.00	1,935.00	2,694.00	-
Elbow Holder	4.00	7.00	-	-	-	-	CPVC FITTING SCH 40		2-1/2"	3"	4"
Transition Bush	7.00	9.00	17.00	33.00	42.00	66.00	Coupler		386.00	536.00	863.00
Hex Nipple	17.00	20.00	34.00	39.00	56.00	74.00	Elbow 90°		661.00	1,031.00	1,794.00
Con. Valve F T Round	-	782.00	-	-	-	-	Equal Tee		931.00	1,407.00	2,354.00
Con. Valve QTR (DNM)	657.00	828.00	1,124.00	-	-	-	Bend 90 (Fabricated)		1,278.00	1,844.00	3,262.00
	1/2"x1/2"	3/4"x3/4"	1"x1"	3/4"x1/2"	1"x1/2"	1"x3/4"	1 1/4"x1/2"	1 1/4"x1 1/4"	1 1/2"x1 1/2"	2"	
F.T.A. (Brass Insert)	103.00	145.00	231.00	58.00	75.00	88.00	-	476.00	539.00	1,013.00	
M.T.A. (Brass Insert)	107.00	143.00	226.00	91.00	164.00	190.00	-	465.00	585.00	1,118.00	
F.Th. Tee (Brass Insert)	57.00	88.00	175.00	60.00	98.00	160.00	127.00	322.00	-	-	
F.Th. Elbow (Brass Insert)	46.00	72.00	184.00	49.00	90.00	150.00	-	310.00	-	-	
Male.Th. Elbow (Brass Insert)	-	-	-	85.00	-	-	-	-	-	-	
Male.Th. Tee (Brass Insert)	-	-	-	88.00	-	-	-	-	-	-	
SIZE (INCH)	3/4"x1/2"	1"x1/2"	1"x3/4"	1 1/4"x1/2"	1 1/4"x3/4"	1 1/4"x1"	1-1/2"x1/2"	1-1/2"x3/4"	1-1/2"x1"	1-1/2"x1 1/4"	2"x1/2"
Reducer	16.00	24.00	27.00	50.00	51.00	60.00	-	88.00	96.00	84.00	-
Reducing Elbow (Plastic)	20.00	31.00	41.00	-	63.00	93.00	-	85.00	89.00	166.00	-
Red. Bush	9.00	19.00	17.00	31.00	28.00	23.00	50.00	44.00	43.00	30.00	90.00
Red. Tee	38.00	60.00	54.00	149.00	112.00	105.00	167.00	168.00	170.00	167.00	342.00
Red. F.T. A. (Plastic)	24.00	-	-	-	-	-	-	-	-	-	-
Red. M. T. A. (Plastic)	23.00	-	-	-	-	-	-	-	-	-	-
Wall Mixture Stand	109.00	-	-	-	-	-	-	-	-	-	-
Repair Coupler 15x7 mm	9.00	-	-	-	-	-	-	-	-	-	-
Repair Coupler 20x7mm/11mm	18.00	-	-	-	-	-	-	-	-	-	-
SIZE (INCH)	2"x3/4"	2"x1"	2"x1-1/4"	2"x 1-1/2"	2-1/2 x1"	2-1/2 x1-1/4"	2-1/2" x 1-1/2"	2-1/2" x 2"	2-1/2" x 3/4"	3" x 1"	3" x 1-1/4"
Reducer	203.00	184.00	191.00	193.00	-	-	634.00	640.00	-	-	-
Reducer (IPS-CTS)	-	-	-	-	-	337.00	-	-	331.00	-	-
Red. Bush	87.00	88.00	91.00	78.00	-	-	-	356.00	-	-	-
Red. Tee	337.00	322.00	280.00	285.00	-	-	-	-	-	1,840.00	1,790.00
Red.Tee (IPS-CTS)					684.00	574.00	580.00	709.00	-	-	-
Size (Inch)	3" x 1-1/2"	3" x 2"	3" x 2-1/2"	4"x1"	4" x 1-1/2"	4" x 2"	4" x 2-1/2"	4" x 3"	6"X3"	6"X4"	8"X6"
Reducer	-	544.00	592.00	-	-	-	1,065.00	1,010.00	-	-	5,697.00
Reducer (IPS-CTS)	-	-	-	-	-	965.00	-	-	-	-	-
Red. Bush SCH-80	413.00	-	462.00	-	-	671.00	710.00	814.00	-	2,890.00	-
Red. Bush (IPS-CTS)	-	357.00	-	-	-	-	-	-	-	-	-
Red. Tee SCH-80	1,671.00	-	1,815.00	-	2,029.00	-	3,416.00	3,356.00	5,623.00	-	-
Red. Tee (IPS-CTS)	-	984.00	-	1,603.00	-	1,933.00	-	-	-	-	-

"SUPREME" ISI RIGID PIPEES

IS:4985		WALL	2.5kgf/cm2	WALL	4kgf/cm2	WALL	6kgf/cm2	WALL	10kgf/cm2	WALL	AGRI HIGH
SIZE		THICKNESS	Class 1	THICKNESS	Class 2	THICKNESS	Class 3	THICKNESS	Class 5	THICKNESS	PRESSURE PIPE
O.D	INCH	mm	Rs/Pce(6Mtr)	mm	Rs/Pce(6Mtr)	mm	Rs/Pce(6Mtr)	mm	Rs/Pce(6Mtr)	mm	Rs/Pce(6Mtr)
20mm	1/2"							1.1 to 1.5	149.00	1.4 to 1.8	311.00
25mm	3/4"							1.4 to 1.8	230.00	1.7 to 2.1	415.00
32mm	1"							1.8 to 2.2	378.00	2.2 to 2.7	624.00
40mm	1-1/4"					1.4 to 1.8	347.00	2.2 to 2.7	568.00	2.8 to 3.3	858.00
50mm	1-1/2"					1.7 to 2.1	535.00	2.8 to 3.3	883.00	3.4 to 4.0	1,117.00
63mm	2"			1.5 to 1.9	593.00	2.2 to 2.7	858.00	3.5 to 4.1	1,306.00		
75mm	2-1/2"			1.8 to 2.2	835.00	2.6 to 3.1	1,198.00	4.2 to 4.9	1,865.00		
90mm	3"	1.3 to 1.7	770.00	2.1 to 2.6	1,158.00	3.1 to 3.7	1,697.00	5.0 to 5.7	2,663.00		
110mm	4"	1.6 to 2.0	1,117.00	2.5 to 3.0	1,706.00	3.7 to 4.3	2,449.00	6.1 to 7.1	3,974.00		
125mm	4-1/2"	1.8 to 2.2	1,442.00	2.9 to 3.4	2,375.00	4.3 to 5.0	3,416.00	-	5,222.00		
140mm	5"	2.0 to 2.4	1,810.00	3.2 to 3.8	2,822.00	4.8 to 5.5	4,140.00	7.7 to 8.9	6,486.00		
160mm	6"	2.3 to 2.8	2,313.00	3.7 to 4.3	3,693.00	5.4 to 6.2	5,225.00	8.8 to 10.2	8,377.00		
180mm	7"	2.6 to 3.1	3,010.00	4.2 to 4.9	4,738.00	6.1 to 7.1	6,813.00	9.9 to 11.4	10,904.00		
200mm	8"	2.9 to 3.4	3,655.00	4.6 to 5.3	5,803.00	6.8 to 7.9	8,515.00	11.0 to 12.7	13,288.00		
225mm	9"	3.3 to 3.9	4,744.00	5.2 to 6.0	7,415.00	7.6 to 8.6	10,780.00	12.4 to 14.3	16,819.00		
250mm	10"	3.6 to 4.2	5,719.00	5.7 to 6.5	9,065.00	8.5 to 9.8	13,248.00	13.8 to 15.9	21,304.00		
280mm	11"	4.1 to 4.8	7,502.00	6.4 to 7.4	11,722.00	9.5 to 11.0	16,976.00	15.4 to 17.8	27,195.00		
315mm	12"	4.6 to 5.3	9,504.00	7.2 to 8.3	14,733.00	10.7 to 12.4	21,634.00	17.3 to 19.9	34,466.00		
355mm	14"	5.1 to 5.9	12,719.00	8.1 to 9.2	19,663.00	12.1 to 13.6	29,219.00				
400mm	16"	5.7 to 6.5	16,500.00	9.0 to 11.1	25,163.00	13.3 to 14.8	36,575.00				
450mm	18"	6.5 to 7.5	20,763.00	10.3 to 11.9	31,625.00	15.2 to 17.5	46,475.00				THICKNESS AS PER ISI STD

RIBBED SCREEN PIPES										[Rates Rs Per length.]
Item/ Size(mm)	40 mm	50 mm	80 mm	100 mm	125 mm	150 mm	175 mm	200 mm		
Item/ Size(inch)	1 1/2"	2"	3"	4"	5"	6"	8"			
3 metre length	875.00	1,133.00	1,630.00	2,437.00	3,895.00	5,363.00	9,541.00			
SLOTTED PIPES (Percolation Pipes) AS PER IS 4985:2000, (Standard length - 6 metre)										[Rates Rs Per length.]
Item/ Size(mm)	110 mm	140 mm	160 mm	180 mm	200 mm	225 mm	250 mm	280 mm	315 mm	
Item/ Size(inch)	4"	5"	6"	7"	8"	9"	10"	11"	12"	
4 kgf/cm2 (Q/F)	1,989.00	3,137.00	4,043.00	5,155.00	6,283.00	7,989.00	9,698.00	12,458.00	15,487.00	
6 kgf/cm2 (Q/F)	2,800.00	4,469.00	5,656.00	7,262.00	8,968.00	11,523.00	14,044.00	18,038.00	22,960.00	
8 kgf/cm2 (Q/F)	-	5,972.00	7,763.00	9,730.00	11,981.00	90 MM 4 kgf/cm2 (Q/F)	1,441.00		-	
10 kgf/cm2 (Q/F)	4,499.00	7,113.00	9,166.00	11,572.00	14,314.00	90 MM 6 kgf/cm2 (Q/F)	1,976.00		-	










Submersible Pipes, with Coupler										[Rates Rs Per length.]
Item/ Size(mm)	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm			
Item/ Size(inch)	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
MEDIUM DUTY	378.00	589.00	695.00	944.00	1,178.00	1,555.00	2,235.00		-	
STANDARD DUTY	604.00	725.00	861.00	1,133.00	1,518.00	2,054.00	2,907.00		-	
HEAVY DUTY	-	914.00	1,155.00	1,419.00	2,129.00	2,794.00	4,304.00		-	
PREMIUM	-	-	-	1,752.00	-	3,624.00	-		-	

Accessories	25 mm	32 mm	40 mm	50 mm	65 mm	80 mm	100 mm
for Submersible Pipes	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
1) Adaptor DI	804.00	1,001.00	1,144.00	1,530.00	2,302.00	3,003.00	4,219.00
2) Adaptor S S	1,637.00	2,002.00	2,302.00	3,332.00	4,719.00	6,106.00	8,437.00
3) Pump guard	1,991.00	2,085.00	2,402.00	2,694.00	2,917.00	3,209.00	3,363.00
4) Ring	4.00	5.00	5.00	6.00	7.00	-	-
5) ADAPTOR C I	479.00	629.00	772.00	1,001.00	1,459.00	2,388.00	2,688.00

SUPREME RIGID PRESSURE FITTINGS

Description	Kg/cm2	20	25	32	40	50	63	75	90	110	140	160	180	200	250	315
Coupler	10	4.00	6.00	8.00	14.00	22.00	37.00	58.00	88.00	168.00		351.00				
Coupler	6				12.00	19.00	29.00	45.00	72.00	121.00	232.00	285.00		534.00	1214.00	
Equal Tee	10	8.00	13.00	20.00	31.00	50.00	94.00	132.00	225.00	378.00		1039.00				
Equal Tee	6				29.00	45.00	77.00	110.00	166.00	296.00	525.00	907.00	1086.00	2771.00	5187.00	
Equal Tee	4					42.00	68.00	91.00	151.00	216.00	358.00	479.00		1176.00		5109.00
Elbow	10	6.00	9.00	13.00	25.00	39.00	63.00	95.00	163.00	243.00		830.00				
Elbow	6				23.00	38.00	56.00	77.00	136.00	232.00	313.00	437.00	840.00	1979.00	3909.00	
Elbow	4	10kg/cm2				29.00	52.00	70.00	103.00	149.00	240.00	378.00		846.00		4290.00
End Cap (PI)	6	3.00	4.00	6.00	10.00	14.00	24.00	35.00	52.00	73.00		202.00	238.00	359.00	952.00	2106.00
End Cap (PI)	4	10kg/cm2					23.00	28.00	43.00	59.00	100.00		218.00			
End Cap (Th)	6	4.00	7.00	8.00	14.00	19.00	22.00	39.00	52.00	88.00	144.00					
Service Saddle	6				53.00	68.00	83.00	122.00	140.00	168.00	189.00	223.00			390.00	
Service Saddle	10				6kg/cm2			105.00	128.00	234.00	278.00	6kg/cm2				
M. T. A.	10	4.00	7.00	9.00	14.00	19.00	34.00	53.00	85.00	114.00	156.00	284.00				
F. T. A.	10	6.00	7.00	8.00	13.00	23.00	47.00	56.00	77.00	150.00		298.00				
Tail Piece	6						23.00	32.00	45.00	78.00	118.00	193.00		329.00		
Flange	6						42.00	49.00	55.00	88.00						
Flange Adaptor	10						133.00			424.00		612.00				
Flange Adaptor	6							202.00	236.00							4kg/cm2
Single Y	6						86.00	168.00	247.00	505.00	827.00	967.00		2340.00	5850.00	
Elbow 45°	6				19.00	29.00	47.00	64.00	109.00	168.00		406.00		874.00	1802.00	
Elbow 45°	4									125.00	206.00	289.00		797.00		
Union	10		29.00	33.00	46.00	72.00	175.00	10kg/cm2								
Ball Valve	10		218.00	315.00	421.00	668.00	769.00	1459.00	1989.00	4111.00						
Air Release Valve	10	335.00	406.00	476.00	624.00		1045.00									
Swing Check Valve			517.00	659.00	1023.00	1278.00	1685.00									
Butterfly Valve Agri								2193.00	2390.00	2870.00		5335.00				
Blind flange	10						290.00	359.00	499.00	593.00						
Long Bend Fabricated	4						66.00	103.00	168.00	314.00	772.00	1210.00	1702.00	2240.00	4439.00	9425.00
Long Bend Fabricated	6				26.00	46.00	90.00	142.00	241.00	445.00	1106.00	1695.00	2345.00	3182.00	6410.00	13644.00
Long Bend Fabricated	10	8.00	12.00	21.00	38.00	73.00	152.00	242.00	420.00	776.00	1906.00	2853.00	3883.00	5482.00	11497.00	23344.00
Description	Kg/cm2	25X20	32X25	32X20	40X25	40X32	50X25	50X32	50X40	63X25	63X32	63X40	63X50	75X40	75X50	75X63
REDUCER	10	5.00	8.00	7.00												
REDUCER	6				10.00	13.00	18.00	15.00	16.00		23.00	24.00	28.00	34.00	33.00	42.00
REDUCING TEE	10	14.00	25.00	19.00	24.00		34.00			52.00	56.00		71.00			
REDUCING TEE	6							53.00				66.00	67.00	81.00	89.00	115.00
REDUCING TEE	4															72.00
REDUCING BUSH	10	3.00	5.00	5.00												
REDUCING BUSH	6					7.00		13.00	12.00			21.00	24.00	44.00	41.00	32.00
Description		90X50	90X63	90X75	110x50	110X63	110X75	110X90	140X90	140X110	160X90	160X110	200X110	200X160	250X200	250X160
REDUCER	6	48.00	56.00	55.00	80.00	79.00	80.00	91.00		164.00		206.00	402.00	437.00	1131.00	
REDUCER	4								98.00	145.00	136.00	187.00	328.00	394.00		
REDUCING TEE	6		147.00	131.00	218.00	212.00	194.00	254.00		462.00		603.00	998.00	1554.00		
REDUCING TEE	4		110.00	120.00			170.00	209.00				398.00				
REDUCING BUSH	6	48.00	45.00	43.00		75.00	77.00	83.00	197.00	144.00	273.00	191.00		643.00	1061.00	1123.00

SUPREME UNDER GROUND DRAINAGE SYSTEM

ECO DRAIN UNDER GROUND PIPE			NU-DRAIN UNDERGROUND PIPE			FOAM CORE UNDERGROUND PIPE		
SIZE	LENGTH 6 MTR/ 20FEET		LENGTH 6 MTR/ 20FEET			LENGTH 6 MTR/ 20FEET		
	SN-4	SN-8	SN-2	SN-4	SN-8	13.00	SN-4	SN-8
110mm	-	1,996.00	-	-	2,539.00	-	-	2,123.00
160mm	3,332.00	4,381.00	3,627.00	4,575.00	5,427.00	-	-	-
200mm	5,005.00	6,952.00	5,633.00	7,013.00	8,502.00	-	-	-
250mm	8,597.00	11,063.00	8,599.00	11,058.00	13,223.00	-	-	-
315mm	12,947.00	18,314.00	14,280.00	17,892.00	20,542.00	-	-	-
400mm	24,668.00	-	-	27,470.00	-	-	-	-
1 CUPLING FREE WITH EVERY 6mtr PIPE			QUICK FIT PIPE/ SOCKET END					
	110 mm	160 mm	200 mm	250mm	315 mm	400 mm	450 mm	
Coupler fabricated	142.00	335.00	710.00	1,042.00	1,966.00	4,026.00	-	
Coupler Crr Ring	190.00	356.00	757.00	1,227.00	-	-	-	
Blanking Plug	57.00	120.00	-	-	-	-	-	
Long Swept Bend	303.00	-	-	-	-	-	-	
Bend 87 °	232.00	411.00	-	-	-	-	-	
Bend 45 °	172.00	402.00	-	-	-	-	-	
Single Yee	334.00	849.00	-	-	-	-	-	
Short Swept Bend 87.5 °	142.00	-	-	-	-	-	-	
Swept Bend 87.5°	183.00	-	-	-	-	-	-	
Swept Tee	335.00	855.00	-	-	-	-	-	
Single Tee	269.00	554.00	-	-	-	-	-	
Cross Tee	-	859.00	-	-	-	-	-	
Yard Gully Trap	4,186.00	4,261.00	-	-	-	-	-	
Socket plug	57.00	291.00	468.00	532.00	1,362.00	-	-	
Rodding Eye	437.00	-	-	-	-	-	-	
Square Gully Trap	616.00	-	-	-	-	-	-	
Square Gully Trap IP Pasted	575.00	1,404.00	-	-	-	-	-	
Institu Adaptor	482.00	771.00	1,346.00	-	-	-	-	
Cement Pipe Adaptor for Plain End	356.00	592.00	-	-	-	-	-	
Clensing Rod	165.00	190.00	-	-	-	-	-	
	160 x110	200 x 160	200 x 110	250 x160	250 x 200	315 x 250	315 x 200	
Ecc.Reducer	184.00	371.00	-	921.00	896.00	1,487.00	1,429.00	
Red.Tee	414.00	-	-	-	-	-	-	
Red.Door Tee	439.00	-	-	-	-	-	-	
Red.Yee	517.00	-	-	-	-	-	-	
Red.Swept Tee	701.00	-	-	-	-	-	-	
Lateral Pipe Connector	897.00	-	963.00	-	-	-	-	
Bottel Gully Trap	948.00	1,047.00	-	-	-	-	-	
Bottel Gully Trap 2 way	972.00	1,122.00	-	-	-	-	-	
CHAMBERS & COVERS								
STRAIGHT CHAMBER			LEFT / RIGHT 90 DEGREE BEND			LEFT / RIGHT 90 DEGREE TEE		
		-		250x110	1,290.00		250x110x110	1,543.00
	315x110	1,399.00		315x110	1,376.00		315x110x110	1,582.00
	355x160	1,783.00		355x160	-		355x160x160	1,944.00
	450x200	2,995.00		450x200	3,101.00		450x200x200	3,618.00
	600x250	19,043.00		600x250	17,279.00		600x250x250	21,416.00
MULTIPLE INLET CHAMBER			RISER & SHAFT PIPE			LEFT / RIGHT 90 DEGREE BEND		
	315mm	1,839.00		250mm	648.00		250mm	1,377.00
	355mm	-		315mm	852.00		with trap	
	450mm	3,749.00		355mm	2,028.00		250mm	19,109.00
		-		450mm	1,694.00		w/o trap	
LEFT & RIGHT CHAMBER			COVER & FRAME			MASTER TRAP (BLACK)		
	250x110x110	-		HEAVY	MEDIUM		110x110	1,741.00
	315x110x110	-	250mm	-	718.00		160x110	2,083.00
	450x160x160	2,183.00	315mm	2,167.00	1,620.00		SHORT	
	450x200x200	3,338.00	355mm	-	1,837.00		160x110	
	600x250x250	23,363.00	450mm	4,191.00	1,809.00		LONG	3,083.00

Dimensions and Stiffness Class of Eco-Drain Pipes as per IS : 16098

Pipe Size OD in mm (ID)	Pipe Ring Stiffness (N/m ²)					
	SN 2		SN 4		SN 8	
	Min.	Max.	Min.	Max.	Min.	Max.
110	-	-	4.50	4.50	2.50	4.10
160	-	-	4.50	4.50	2.50	4.10
200	-	-	5.40	6.50	3.20	4.20
250	-	-	6.50	7.50	3.90	5.10
315	0.500	7.500	8.000	9.000	4.800	6.100
400	0.500	9.000	10.000	12.000	5.200	6.800